




WOLF TRAX BORON DDP – APPLICATION RATE GUIDELINES (FERTILIZER COATING)

The following table can help you choose the appropriate Wolf Trax DDP® application rate. To select a precise rate within each range suitable for your local cropping conditions, please consult your local Wolf Trax retailer or representative.

	RATE CATEGORY		
	Maintenance Rate	Moderately Deficient	Severely Deficient
	+	++	+++
	Recommend this rate for growers who prefer to routinely top up Boron levels on an annual basis due to crop removal of nutrients.	Recommend this rate where “hidden hunger” is a concern OR where soil tests refer to Boron levels as being “marginal”.	Recommend this rate where symptoms are highly visible either field wide or in patches, OR where soil test level for Boron is “deficient”.
Soil Test Indicators	Hot water soluble Boron soil test levels read between 1 and 2 ppm	Hot water soluble Boron soil test levels read between 0.5 and 1ppm	Hot water soluble Boron soil test level reads < 0.5 ppm
How you may have fertilized in the past for this problem	You may have applied up to 0.56 kg per hectare of actual Boron (formulated as granules), OR 70 to 280 grams of Boron as a foliar to solve this problem	You may have applied 0.56 to 1.12 kg per hectare of actual Boron (formulated as granules), OR 280 to 560 grams of Boron as a foliar to solve this problem	You may have applied more than 1.12 kg per hectare of actual Boron (formulated as granules), OR > 560 grams of Boron as a foliar to solve this problem
What you can do with Wolf Trax Boron DDP as a fertilizer coating for this problem	Apply 0.22 to 0.56 kg per hectare of Boron DDP as a coating on macro blend	Apply 0.56 to 2.24 kg per hectare of Boron DDP as a coating on macro blend	Apply > 2.24 kg per hectare of Boron DDP as a coating on macro blend - to a maximum retention rate of approximately 1% w/w of the macro blend

NOTE: A program approach that uses a combination of soil applied and foliar applied Boron is often required when deficiency is severe. Use tissue testing to optimize Boron nutrition programs.