

1. Product and Company Identification

Product identifier	Wolf Trax Copper DDP
Other means of identification	Not available
Recommended use	Plant Food
Recommended restrictions	None known.
Manufacturer information	Compass Minerals USA Inc. 9900 West 109th Street, Suite 100 Overland Park, KS 66210 US Phone (913) 344-9200
Supplier	Compass Minerals Manitoba Inc. 6700 Century Avenue Mississauga L5N 6A4 CA http://www.compassminerals.com/ Phone (905) 567-0231 techservicesrequests @compassminerals.com
CHEMTREC	1-800-424-9300
CANUTEC	1-613-996-6666

2. Hazards Identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
Environmental hazards	Not classified.	
WHMIS 2015 defined hazards	Not classified	
Label elements		



Signal word	Warning	
Hazard statement	Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.	
Precautionary statement		
Prevention	Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Wear protective gloves. Wear eye/face protection.	
Response	IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Specific treatment (see this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)	None known	
WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)	None known	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	4.4% of the mixture consists of component(s) of unknown acute oral toxicity.	

3. Composition/Information on Ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Metal Oxide #1		HMIRA 10634	HMIRA 10634
Metal Oxide #2		HMIRA 10634	HMIRA 10634
Metal Salt		HMIRA 10634	HMIRA 10634
Sulfonated alkyl condensate, sodium salt		HMIRA 10634	HMIRA 10634

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The filing date associated with this trade secret exemption is 2016-11-23

4. First Aid Measures

Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Skin contact	IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Specific treatment (see product label).
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
Most important symptoms/effects, acute and delayed	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Treat patient symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes, skin and clothing. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	In the event of fire, cool tanks with water spray. Cool containers with flooding quantities of water until well after fire is out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	Not available

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Before attempting clean up, refer to hazard data given above. Use broom or dry vacuum to collect material for proper disposal without raising dust. Rinse area with water. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Do not discharge into lakes, streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling	Avoid contact with eyes, skin and clothing. Do not taste or swallow. Wear appropriate personal protective equipment. Provide adequate ventilation. Observe good industrial hygiene practices. Wash hands thoroughly after handling. When using, do not eat, drink or smoke.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of the reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value	Form
Metal Oxide #1 (CAS HMIRA 10634)	TWA	1 mg/m3	Dust and mist.
		0.2 mg/m3	Fume.
Metal Oxide #2 (CAS HMIRA 10634)	TWA	1 mg/m3	Dust and mist.
		0.2 mg/m3	Fume.
Metal Salt (CAS HMIRA 10634)	TWA	1 mg/m3	Dust and mist.
		0.2 mg/m3	Fume.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Metal Oxide #1 (CAS HMIRA 10634)	TWA	1 mg/m3	Dust and mist.
		0.2 mg/m3	Fume.
Metal Oxide #2 (CAS HMIRA 10634)	TWA	1 mg/m3	Dust and mist.
		0.2 mg/m3	Fume.
Metal Salt (CAS HMIRA 10634)	TWA	1 mg/m3	Dust and mist.
		0.2 mg/m3	Fume.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Metal Oxide #1 (CAS HMIRA 10634)	TWA	0.1 mg/m3	Fume.
Metal Oxide #2 (CAS HMIRA 10634)	TWA	1 mg/m3	Dust and mist.
Metal Salt (CAS HMIRA 10634)	TWA	1 mg/m3	Dust and mist.

Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	Chemicals listed in section 3 that are not listed here do not have established limit values for ACGIH.
Appropriate engineering controls	Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection	Chemical goggles are recommended.
Skin protection	
Hand protection	Wear suitable gloves. Confirm with a reputable supplier first.
Other	As required by employer code.
Respiratory protection	Use of personal dust mask is recommended. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.
Thermal hazards	Not applicable.

General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands after handling and before eating. When using, do not eat, drink or smoke.
---------------------------------------	---

9. Physical and Chemical Properties

Appearance	Powder.
Physical state	Solid.
Form	Powder.
Color	Blue Grey
Odor	Odorless
Odor threshold	Not available.
pH	5 (5% solution)
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not applicable.
Pour point	Not applicable.
Specific gravity	Not available.
Partition coefficient (n-octanol/water)	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not applicable.
Vapor density	Not applicable.
Relative density	Not available.
Solubility(ies)	Not available.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not available.
Viscosity	Not applicable.
Other information	
Flammability	Not applicable.

10. Stability and Reactivity

Reactivity	This product may react with strong oxidizing agents.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Copper oxides.

11. Toxicological Information

Routes of exposure	Inhalation. Ingestion. Skin contact. Eye contact.
Information on likely routes of exposure	
Ingestion	Harmful if swallowed.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Components	Species	Test Results
Metal Oxide #1 (CAS HMIRA 10634)		
Acute		
<i>Oral</i>		
LD50	Rat	470 mg/kg
Metal Oxide #2 (CAS HMIRA 10634)		
Acute		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 50000 mg/m ³ , 4 hours
<i>Oral</i>		
LD50	Rat	470 mg/kg
Metal Salt (CAS HMIRA 10634)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 1000 mg/kg
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	960 mg/kg 300 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Corneal opacity value	Not available.	
Iris lesion value	Not available.	
Conjunctival reddening value	Not available.	
Conjunctival oedema value	Not available.	
Recover days	Not available.	
Respiratory or skin sensitization		
Respiratory sensitization	Not available.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classified.	
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)		
Not listed.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Teratogenicity	Not available.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not classified.	
Chronic effects	Prolonged inhalation may be harmful.	

12. Ecological Information

Ecotoxicity See below

Ecotoxicological data

Components		Species	Test Results
Metal Oxide #1 (CAS HMIRA 10634)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	0.011 - 0.039 mg/L, 48 hours
Fish	LC50	Western mosquitofish (Gambusia affinis)	> 56000 mg/L, 96 hours
Crustacea	EC50	Daphnia	0.187 mg/L, 48 Hours
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	0.006 - 0.007 mg/L, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	0.66 - 1.15 mg/L, 96 hours
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Mobility in general	Not available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, global warming potential) are expected from this component.		

13. Disposal Considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification	In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue.
U.S. Department of Transportation (DOT)	Not regulated as dangerous goods.
Transportation of Dangerous Goods (TDG - Canada)	Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.	
Export Control List (CEPA 1999, Schedule 3)	Not listed.	
Greenhouse Gases	Not listed.	
Precursor Control Regulations	Not regulated.	
WHMIS 2015 Exemptions	Controlled	
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)	Not regulated.	
CERCLA Hazardous Substance List (40 CFR 302.4)		
Metal Oxide #1 (CAS HMIRA 10634)	Listed.	
Metal Oxide #2 (CAS HMIRA 10634)	Listed.	
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)		
	Not listed.	

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
 Delayed Hazard - No
 Fire Hazard - No
 Pressure Hazard - No
 Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Metal Oxide #1	HMIRA 10634	HMIRA 10634
Metal Oxide #2	HMIRA 10634	HMIRA 10634
Metal Salt	HMIRA 10634	HMIRA 10634

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below**US - California Hazardous Substances (Director's): Listed substance**

Metal Oxide #1 (CAS HMIRA 10634) Listed.
 Metal Oxide #2 (CAS HMIRA 10634) Listed.
 Metal Salt (CAS HMIRA 10634) Listed.

US - Illinois Chemical Safety Act: Listed substance

Metal Oxide #1 (CAS HMIRA 10634)
 Metal Oxide #2 (CAS HMIRA 10634)

US - Louisiana Spill Reporting: Listed substance

Metal Oxide #1 (CAS HMIRA 10634) Listed.
 Metal Oxide #2 (CAS HMIRA 10634) Listed.

US - Michigan Critical Materials Register: Parameter number

Metal Oxide #1 (CAS HMIRA 10634) COPPER
 Metal Oxide #2 (CAS HMIRA 10634) COPPER
 Metal Salt (CAS HMIRA 10634) COPPER

US - New Jersey RTK - Substances: Listed substance

Metal Oxide #1 (CAS HMIRA 10634)
 Metal Oxide #2 (CAS HMIRA 10634)

US - Texas Effects Screening Levels: Listed substance

Metal Oxide #1 (CAS HMIRA 10634) Listed.
 Metal Oxide #2 (CAS HMIRA 10634) Listed.
 Metal Salt (CAS HMIRA 10634) Listed.

US. Massachusetts RTK - Substance List

Metal Salt (CAS HMIRA 10634)

US. New Jersey Worker and Community Right-to-Know Act

Metal Oxide #1 (CAS HMIRA 10634)
 Metal Oxide #2 (CAS HMIRA 10634)
 Metal Salt (CAS HMIRA 10634)

US. Pennsylvania Worker and Community Right-to-Know Law

Metal Oxide #1 (CAS HMIRA 10634)
 Metal Oxide #2 (CAS HMIRA 10634)

US. Rhode Island RTK

Metal Oxide #1 (CAS HMIRA 10634)
 Metal Oxide #2 (CAS HMIRA 10634)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 3
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X



Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

30-May-2017

Version

01

Effective date

30-May-2017

Prepared by

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.